



SOLARIS PAPER

Enlarged detail of Livi Full emboss pattern

Solaris Paper® introduces
Livi VPG® Select 46528
Hard Wound Roll Towel

1,000 feet of highly absorbent premium toweling

- 20% or more labor savings when compared to the standard 800 foot or smaller sized roll towels
- Designed to easily fit in a variety of universal dispensing systems
- Full embossing that delivers visual appeal and exceptional softness without compromising strength
- Absorbent and strong to handle general facility usage such as cleaning, wiping and drying
- Ideal for use in high-traffic locations
- Derived from Rapidly Renewable Fiber (RRF) that meets requirements of USGBC LEED® standards



PRODUCT: HARD WOUND ROLL TOWEL	Color	Ply	Emboss	Size	Count	Items/Case
46528 Livi® VPG Select Hard Wound Roll Towel	White	1	Full	8" x 1,000'	1,000' Roll	6 Rolls

Premium tissue and towel products designed with the end-user in mind.

The Livi® VPG Select family of products consistently delivers high-quality performance and value that continually exceeds customer expectations. In addition, Livi® VPG Select towels and tissue are manufactured sustainably using virgin plantation grown (VPG) Rapidly Renewable Fiber (RRF). Finally, a paper product line that delivers performance and savings while safeguarding the environment.

SKU number	46528
Case SCS Number	10810326013038
Sheet Size	8" x 1,000'
Case Dimensions (LxWxH)	23.62" x 15.95" x 8.27"
Case Gross Weight (lbs)	30
Case Cube	1.8
Cases per Pallet	60
Cases per Layer	5
Number of Layers	12
Pallet Dimensions (LxWxH)	48" x 40" x 104.2"
Pallets per Truckload	30
Cases per Truckload	1800



Solaris Paper remains committed to transparent sustainability practices and Zero Deforestation. Our paper towel and tissue products are derived from Rapidly Renewable Fiber (RRF), an innovative approach to environmental responsibility, making them whiter, brighter and softer.



As a strong supporter of the LEED® system, Solaris Paper offers paper towels and tissue products derived from Rapidly Renewable Fiber (RRF) that meet the requirements of the USGBC LEED® standards.